

**Alkaline Manganese Button-type battery**

**LR44 Standard Data**

(Made in china)

2022/10/11

**TOSHIBA LIFESTYLE PRODUCTS & SERVICES CORPORATION**


**Alkaline Manganese Button-type Battery LR44**

		Rating
Type		LR44
Nominal voltage		1.5V
Standard weight		1.98g
Terminal	(-) Negative	Cu/Fe/Ni clad
	(+) Positive	SUS + Ni plate
Dimensions	Diameter	φ11.6mm
	Over all height	5.4mm

aIY-P

This is only for reference.(not guaranteed.) The information contained herein may be changed without prior notice.

Proprietary materials of TOSHIBA LIFESTYLE PRODUCTS & SERVICES CORPORATION



This is only for reference.(not guaranteed.) The information contained herein may be changed without prior notice.

**LR44 Leakage Performance**


( n=20 )

	After 20days	After 40days	After 60days
45deg.C-90%RH	0%	0%	0%
60deg.C-Dry	0%	0%	0%

This is only for reference.(not guaranteed.) The information contained herein may be changed without prior notice.


Proprietary materials of TOSHIBA LIFESTYLE PRODUCTS & SERVICES CORPORATION

**LR44 Structural Drawing**



This is only for reference.(not guaranteed.) The information contained herein may be changed without prior notice.

Proprietary materials of TOSHIBA LIFESTYLE PRODUCTS & SERVICES CORPORATION

**LR44 Outline Drawing**

Mark	Dimensions
A	11.25 ~ 11.60
B	4.50 ~ 4.80
C	5.00 ~ 5.40

Unit : mm

This is only for reference.(not guaranteed.) The information contained herein may be changed without prior notice.

Proprietary materials of TOSHIBA LIFESTYLE PRODUCTS & SERVICES CORPORATION